

BẢNG GIÁ 2023

Hiệu lực từ ngày 15-03-2023



Mã hàng	Số cực	Dòng định mức In (A)	Icu (kA)	Đơn giá (VND)
MCCB 2P				
Chỉnh dòng nhiệt (Adj. thermal) 30 ~ 250AF (0.8~1*In), 400 ~ 800AF (0.63~1*In)				
HGM100E- F	2P	16/ 20/ 25/ 32/ 40/ 50/ 63/ 75/ 100A	35kA	750,000
HGM100S- F		16/ 20/ 25/ 32/ 40/ 50/ 63/ 75/ 100A	50kA	790,000
HGM125S- F		40/ 50/ 63/ 75/ 80/ 100/ 125A	65kA	955,000
HGM125H- F		40/ 50/ 63/ 75/ 80/ 100/ 125A	85kA	990,000
HGM250H- F		150/ 160/ 175/ 200/ 225/ 250A	85kA	1,650,000
HGM400S- F		300/ 350/ 400A	75kA	3,800,000

MCCB 3P				
Chỉnh dòng nhiệt (Adj. thermal) 30 ~ 250AF (0.8~1*In), 400 ~ 800AF (0.63~1*In)				
HGM50H- F	3P	16/ 20/ 25/ 32/ 40/ 50A	38kA	1,250,000
HGM50L- F			55kA	1,470,000
HGM100E- F		16/ 20/ 25/ 32/ 40/ 50A	16kA	950,000
			63/ 75/ 100A	1,000,000
HGM100S- F		16/ 20/ 25/ 32/ 40/ 50A	20kA	1,000,000
			63/ 75/ 100A	1,050,000
HGM100H- F		16/ 20/ 25/ 32/ 40/ 50/ 63/ 75/ 100A	26kA	1,100,000
HGM125S- F		16/ 20/ 25/ 32/ 40/ 50/ 63/ 75/ 80/ 100/ 125A	26kA	1,150,000
HGM125H- F			38kA	1,395,000
HGM125L- F			55kA	1,615,000
HGM250H- F		150/ 160/ 175/ 200/ 225/ 250A	38kA	2,090,000
HGM250L- F			55kA	2,590,000
HGM400E- F		250** / 300/ 350/ 400A	45kA	4,950,000
HGM400S- F			65kA	5,250,000
HGM400H- F			85kA	5,500,000
HGM630E- F			45kA	9,350,000
HGM630S- F		500/ 630A	65kA	9,700,000
HGM630H- F			85kA	10,500,000
HGM800S- F	700/ 800A	65kA	9,800,000	
HGM800H- F		85kA	10,800,000	

MCCB 3P				
Chỉnh dòng nhiệt (Adj. thermal) 0.7~1*In				
HGM125H- FVP	3P	40/ 50/ 63/ 80/ 100/ 125A	38kA	1,790,000
HGM250H- FVP		100/ 125/ 160/ 200/ 250A	38kA	2,650,000

MCCB 3P				
Chỉnh dòng nhiệt (Adj. thermal) 0.7~1*In				
HGP100S- F	3P	40/ 50/ 63/ 80/ 100A	85kA	3,600,000
HGP160S- F		100/ 125/ 150/ 160A	85kA	3,600,000
HGP250S- F		100/ 125/ 150/ 160/ 175/ 200/ 225/ 250A	85kA	4,200,000

MCCB 3P				
Chỉnh dòng nhiệt (Adj. thermal) 0.8~1*In và INST (Adj. magnetic) 5~10*In				
HGP400S- H	3P	300/ 350/ 400A	85kA	7,500,000
HGP630S- H		500/ 630A	85kA	11,500,000
HGP800S- H		700/ 800A	85kA	15,250,000

(**): MCCB không chỉnh dòng

Mã hàng	Số cực	Dòng định mức In(A)	Icu (kA)	Đơn giá (VND)
MCCB 3P				
Chỉnh dòng điện tử (Electronic) 0.4~1*In				
HGP100S-G3PENS	3P	40 / 100A	85kA	6,500,000
HGP160S-G3PENS		100 / 160A	85kA	6,500,000
HGP250S-G3PENS		160 / 250A	85kA	6,500,000
HGP400S 3PENS		250 / 400A	85kA	11,000,000
HGP630S 3PENS		630A	85kA	13,000,000
HGP800S 3PENS		800A	85kA	17,500,000
HGM1000S 3PENBS	3P	1000A	70kA	27,500,000
HGM1250S 3PENBS		1250A	70kA	27,500,000
HGM1600S 3PENBS		1600A	70kA	52,500,000

MCCB 4P				
Chỉnh dòng nhiệt (Adj. thermal) 30 ~ 250AF (0.8~1*In), 400 ~ 800AF (0.63~1*In)				
HGM100S- F	4P	16/ 20/ 25/ 32/ 40/ 50/ 63/ 75/ 100A	20kA	1,200,000
HGM125S- F		16/ 20/ 25/ 32/ 40/ 50/ 63/ 75/ 100/ 125A	26kA	1,700,000
HGM125H- F			38kA	1,800,000
HGM250S- F		125/ 150/ 175/ 200/ 225/ 250A	26kA	2,650,000
HGM250H- F			38kA	2,800,000
HGM400E- F		250**/ 300/ 350/ 400A	45kA	6,500,000
HGM400S- F			65kA	6,800,000
HGM630E- F		500/ 630A	45kA	11,500,000
HGM630S- F			65kA	12,500,000
HGM800S- F		700/ 800A	65kA	13,000,000
HGM800H- F	85kA		14,000,000	
Chỉnh dòng điện tử (Electronic) 0.4~1*In				
HGM1000S 4PNENBS	4P	1000A	70kA	41,000,000
HGM1250S 4PNENBS		1250A	70kA	42,000,000

ELCB				
Aptomat chống dò điện (chỉnh định dòng dò 100-300-500-1000mA)				
HGE100S	2P	16/ 20/ 25/ 32/ 40/ 50/ 63/ 75/ 100A	50kA	2,000,000
HGE125S		16/ 20/ 25/ 32/ 40/ 50/ 63/ 75/ 100/ 125A	65kA	2,400,000
HGE250S		125/ 150/ 160/ 175/ 200/ 225/ 250A	65kA	3,500,000
HGE100S	3P	16/ 20/ 25/ 32/ 40/ 50/ 63/ 75/ 100A	20kA	2,700,000
HGE125S		16/ 20/ 25/ 32/ 40/ 50/ 63/ 75/ 100/ 125A	26kA	2,900,000
HGE250S		125/ 150/ 160/ 175/ 200/ 225/ 250A	26kA	3,900,000
HGE400E		250/ 300/ 350/ 400A	45kA	9,900,000
HGE400S		250/ 300/ 350/ 400A	65kA	10,500,000
HGE100S		4P	16/ 20/ 25/ 32/ 40/ 50/ 63/ 75/ 100A	20kA
HGE125S	16/ 20/ 25/ 32/ 40/ 50/ 63/ 75/ 100/ 125A		26kA	3,800,000
HGE250S	125/ 150/ 160/ 175/ 200/ 225/ 250A		26kA	7,000,000
HGE400E	250/ 300/ 350/ 400A		45kA	14,500,000
HGE400S	250/ 300/ 350/ 400A		65kA	15,000,000

(**): MCCB không chỉnh dòng

Phụ kiện MCCB _ HGM/ HGE 100~800AF		Mã hàng	Đơn giá (VND)
Aux. Switch	HGM100/ 125/ 250	AUX 10GMC1	250,000
	HGM400/ 630/ 800	AUX 40GMC1	370,000
Alarm Switch	HGM100/ 125/ 250	ALT 10GML1/R1	250,000
	HGM400/ 630/ 800	ALT 40GML1	370,000
Shunt Trip AC200~230V/ 380~415V	HGM100/ 125/ 250	SHT 10GM	450,000
	HGM400/ 630/ 800	SHT 40GM	690,000
Under Voltage Trip AC200~230V/ 380~415V	HGM100/ 125/ 250	UVT 10GM	1,050,000
	HGM400/ 630/ 800	UVT 40GM	1,050,000
Tay xoay (gắn trực tiếp)	HGM100	TFG10GMU	480,000
	HGM125	TFG12GMU	500,000
	HGM250	TFG25GMU	520,000
	HGM400	TFG40GMU	1,170,000
	HGM630/ 800	TFG80GMU	1,170,000
Tay xoay (nối dài)	HGM100	TFH10GM	680,000
	HGM125	TFH12GM	680,000
	HGM250	TFH25GM	680,000
	HGM400	TFH40GM	1,350,000
	HGM630/ 800	TFH80GM	1,350,000
Motor (MOT)	HGM100 (AC/ DC 110V hoặc 240V)	MOT10GM	5,500,000
	HGM125 (AC/ DC 110V hoặc 240V)	MOT12GM	6,000,000
	HGM250 (AC/ DC 110V hoặc 240V)	MOT25GM	6,000,000
	HGM400 (AC/ DC 110V hoặc 240V)	MOT40GM	8,500,000
	HGM630/ 800 (AC/ DC 110V hoặc 240V)	MOT80GM	9,500,000
Tâm chắn pha/ INTERPOLE BARRIER	HGM100/ 125 3P	TQQ10GM3	36,000
	HGM250 3P	TQQ25GM3	45,000
	HGM400/ 630/ 800 3P	TQQ40GM3/63GP3	160,000
Thanh cái/ BUS BAR	HGM250 3P (Straight type)	TBB25GP 3S	340,000
	HGM250 3P (Spreader type)	TBB25GP 3E45	360,000
	HGM400 3P (Straight type)	TBB40GM 3S	900,000
	HGM400 3P (Spreader type)	TBB40GM 3E59	1,050,000
	HGM630/ 800 3P (Straight type)	TBB80GM 3S	2,000,000
Nắp đầu cực (loại dài)	HGM100 3P	TCF10GM L3	120,000
	HGM125 3P	TCF12GM L3	135,000
	HGM250 3P	TCF25GM L3	150,000
	HGM400 3P	TCF40GM L3	440,000
	HGM630/ 800 3P	TCF80GM L3	550,000
Khóa liên động (MI)	HGM100 2/3/4P	MIF10GM	790,000
	HGM125 2/3/4P	MIF12GM	790,000
	HGM250 2/3/4P	MIF25GM	790,000
	HGM400 2/3/4P	MIF40GM	950,000
	HGM630/ 800 2/3/4P	MIF80GM	1,150,000
Khóa MCCB	HGM100/ 125/ 250	PLD10GM	430,000
	HGM400/ 630/ 800	PLD40GM	450,000

Phụ kiện MCCB_ HGM1250/ 1000S		Mã hàng	Đơn giá (VND)
Aux. Switch	HGM1250/ 1000	AUX120GMSC1	400,000
	HGM1250/ 1000	AUX120GMSC2	600,000
Alarm Switch	HGM1250/ 1000	ALT120GMSR1	400,000
Shunt Trip	HGM1250/ 1000 (AC200~230V/ 380~415V)	SHT120GMS	900,000
Under VoltageTrip	HGM1250/ 1000 (AC200~230V/ 380~415V)	UVT120GMS	1,200,000
Motor	HGM1250/ 1000 3P	MOT120GMS3	13,000,000
	HGM1250/ 1000 4P	MOT120GMS4	13,000,000
Mechanical Interlock	HGM1250/ 1000 3P	MIF120GMS3	6,500,000
	HGM1250/ 1000 4P	MIF120GMS4	6,500,000
Terminal Cover	HGM1250/ 1000 3P	TCF120GMS3	300,000
	HGM1250/ 1000 4P	TCF120GMS4	400,000
Phase Barrier	HGM1250/ 1000 3P	TQQ120GMS3	200,000
	HGM1250/ 1000 4P	TQQ120GMS4	270,000
Rotary Handle	HGM1250/ 1000 3/4P	TFH120GMS3/4	2,700,000
Operation Handle Extension	HGM1250/ 1000 (3P/ 4P)	THA120GMS	400,000
Key lock	HGM1250/ 1000 (3P/ 4P)	KEY120GMS	500,000

Phụ kiện MCCB_ HGP100~800AF			
Aux. Switch	HGP100/ 160/ 250	AUX25GP L1	250,000
	HGP400/ 630/ 800	AUX63GP L1	370,000
Alarm Switch	HGP100/ 160/ 250	ALT25GP L1	250,000
	HGP400/ 630/ 800	ALT63GP R1	370,000
Shunt Trip AC200~230V/ 380~415V	HGP100/ 160/ 250	SHT25GP-G	720,000
	HGP400/ 630/ 800	SHT63GP	720,000
Under VoltageTrip AC200~230V/ 380~415V	HGP100/ 160/ 250	UVT25GP-G	1,050,000
	HGP400/ 630/ 800	UVT63GP	1,050,000
Motor operator (AC/DC240V)	HGP250	MOT25GP	6,000,000
	HGP400/ 630	MOT63GP	9,500,000
	HGP800	MOT 80GP	9,500,000
Direct rotary handle	HGP250	TFG25GPU	(*)
	HGP400/ 630	TFG63GPU	(*)
	HGP800	TFG80GPU	(*)
Extension rotary handle	HGP250	TFH25GP	(*)
	HGP400/ 630	TFH63GP	(*)
	HGP800	TFH80GP	(*)
Extension rotary handle	HGP250	MIF25GP	(*)
	HGP400/ 630	MIF63GP	(*)
	HGP800	MIF80GP	(*)

(*): Quý khách liên hệ NPP/ Đại lý Hyundai

Mã hàng	Số cực	Dòng định mức In(A)	Icu (kA)	Đơn giá (VNĐ)
APTOMAT - MCB loại thanh cài ** DELUXE TYPE				
HGD63N	1P	6/ 10/ 16/ 20/ 25/ 32/ 40/ 50/ 63A	6kA	72,000
	2P			150,000
	3P			235,000
	4P			300,000
HGD63H	1P	6/ 10/ 16/ 20/ 25/ 32/ 40/ 50/ 63A	10kA	112,000
	2P			225,000
	3P			355,000
	4P			470,000
HGD125	1P	80/ 100/ 125A	10kA	310,000
	2P			620,000
	3P			930,000
	4P			1,250,000
APTOMAT chống rò - RCCB ** DELUXE TYPE / Dòng dò (-) G4: 30mA; G5: 100mA; G7: 300mA; G8: 500mA				
HRC63 2PG-	2P	16 / 25 / 32 / 40 / 50 / 63A	AC Type 10kA	875,000
HRC100 2PG-		80 / 100A		1,300,000
HRC63 4PG-	4P	16 / 25 / 32 / 40/ 50/ 63A		1,225,000
HRC100 4PG-		80 / 100A		1,850,000

APTOMAT - MCB loại thanh cài **STANDARD TYPE				
HGD63M	1P	6/ 10/ 16/ 20/ 25/ 32/ 40/ 50/ 63A	6kA	72,000
	2P			150,000
	3P			235,000
	4P			300,000
HGD63P	1P	6/ 10/ 16/ 20/ 25/ 32/ 40/ 50/ 63A	10kA	112,000
	2P			225,000
	3P			355,000
	4P			470,000
HGD100S	1P	80/ 100A	10kA	220,000
	2P			475,000
	3P			755,000
	4P			900,000
APTOMAT chống rò - RCCB **STANDARD TYPE / Dòng dò (-) G4: 30mA; G5: 100mA; G7: 300mA; G8: 500mA				
HRC63S 2PG-	2P	16 / 25 / 32 / 40 / 50 / 63A	AC Type 6kA	570,000
HRC100S 2PG-		80 / 100A		850,000
HRC63S 4PG-	4P	16 / 25 / 32 / 40/ 50/ 63A		790,000
HRC100S 4PG-		80 / 100A		1,190,000


APTOMAT bảo vệ quá tải và chống rò - RCBO **STANDARD TYPE / Dòng dò (-) G4: 30mA , G5: 100mA				
HRO63M 1NG-	1P+N	6/ 10/ 16/ 20/ 25/ 32/ 40/ 50/ 63A	6kA	375,000
HRO63M 3NG-	3P+N			650,000
HRO63P 1NG-	1P+N	6/ 10/ 16/ 20/ 25/ 32/ 40/ 50/ 63A	10kA	430,000
HRO63P 3NG-	3P+N			750,000

(**): Quý khách liên hệ NPP/ Đại lý Hyundai

Mã hàng	In(A)	Công suất	Điện áp (V)	Đơn giá (VNĐ)
CONTACTOR (AC Magnetic Contactor 50Hz)				
HGC9 11NS X ---	9A (1a1b)	4KW	AC024/ AC048/ AC110/ AC120/ AC220/ AC240/ AC380/ AC440V	350,000
HGC12 11NS X ---	12A (1a1b)	5.5KW		385,000
HGC18 11NS X ---	18A (1a1b)	7.5KW		450,000
HGC25 11NS X ---	25A (1a1b)	11KW		520,000
HGC32 22NS X ---	32A (2a2b)	15KW		750,000
HGC40 22NS X ---	40A (2a2b)	18.5KW		850,000
HGC50 22NS X ---	50A (2a2b)	22KW		1,050,000
HGC65 22NS X ---	65A (2a2b)	30KW		1,350,000
HGC75 22NS X ---	75A (2a2b)	37KW		1,600,000
HGC85 22NS X ---	85A (2a2b)	45KW		1,950,000
HGC100 22NS X ---	100A (2a2b)	55KW		2,300,000
HGC130 22NS Y220	130A (2a2b)	65KW	AC220V	2,900,000
HGC150 22NS Y220	150A (2a2b)	75KW	2,900,000	
CONTACTOR (AC/DC Magnetic Contactor)				
HGC115 22NS F ---	115A (2a2b)	60KW	F220: AC100~240 DC110~220 F440: AC380~450	3,000,000
HGC130 22NS F ---	130A (2a2b)	65KW		3,250,000
HGC150 22NS F ---	150A (2a2b)	75KW		3,950,000
HGC185 22NS F ---	185A (2a2b)	90KW		5,500,000
HGC225 22NS F ---	225A (2a2b)	132KW		6,100,000
HGC265 22NS F ---	265A (2a2b)	147KW		8,250,000
HGC300 22NS F ---	300A (2a2b)	160KW		8,950,000
HGC400 22NS F ---	400A (2a2b)	220KW		10,300,000
HGC500 22NS F ---	500A (2a2b)	250KW		16,500,000
HGC630 22NS F ---	630A (2a2b)	330KW		F220: AC200~240 DC200~220
HGC800 22NS F ---	800A (2a2b)	440KW	F440: AC380~450	28,500,000

RƠ LE NHIỆT	Dải dòng (A)	Đơn giá (VNĐ)
HGT18K (cho HGC9 ~ 18)	0.12 - 0.18A, 0.18 - 0.26A, 0.25 - 0.35A, 0.34 - 0.5A, 0.5 - 0.7A, 0.6 - 0.9A, 0.8 - 1.2A, 1.1 - 1.6A, 1.5 - 2.1A, 2 - 3A, 2.8 - 4.2A, 3 - 5A, 4 - 6A, 5.6 - 8A, 6 - 9A, 8 - 12A, 12 - 18A	270,000
HGT40K (cho HGC25 ~ 40)	7-10A, 8-12A, 12-18A, 15-22A, 17 - 25A, 22-32A, 28 - 40A	350,000
HGT65K (cho HGC50~65)	17 - 25A, 22-32A, 28 - 40A, 34 - 50A, 45 - 65A	690,000
HGT100K (cho HGC75~100)	28 - 40A, 34 - 50A, 45 - 65A, 52 - 75A, 59 - 85A, 70-100A	1,050,000
HGT150K (cho HGC115~150)	48 - 80A, 69 - 115A, 78 - 130A, 90 - 150A	1,900,000
HGT265K (cho HGC185~265)	90 - 150A, 111 - 185A, 135 - 225A, 159 - 265A	2,700,000
HGT500K (cho HGC300~500)	159 - 265A, 180 - 300A, 240 - 400A, 300-500A	3,800,000
HGT800K (cho HGC630, 800)	378 - 630A, 480 - 800A	7,200,000


Mã hàng	In(A)	Điện áp (V)	Đơn giá (VNĐ)
CONTACTOR (DC Magnetic Contactor)			
HGC9 11NSD---	9A (1a1b)	DC 024/ 048/ 110/ 125/ 220V	498,000
HGC12 11NSD---	12A (1a1b)		540,000
HGC18 11NSD---	18A (1a1b)		630,000
HGC25 11NSD---	25A (1a1b)		650,000
HGC32 11NSD---	32A (1a1b)		850,000
HGC40 11NSD---	40A (1a1b)		1,050,000
HGC50 21NSD---	50A (2a1b)		1,150,000
HGC65 21NSD---	65A (2a1b)		1,500,000
HGC75 21NSD---	75A (2a1b)		2,200,000
HGC85 21NSD---	85A (2a1b)		2,700,000
HGC100 21NSD---	100A (2a1b)	2,900,000	

CONTACTOR (chuyên dùng cho tủ bù)			
HGC9C 22NSX---	9A (2a2b)		800,000
HGC12C 22NSX---	12A (2a2b)		835,000
HGC18C 22NSX---	18A (2a2b)		900,000
HGC25C 22NSX---	25A (2a2b)		950,000
HGC32C 22NSX---	32A (2a2b)		1,100,000
HGC40C 22NSX---	40A (2a2b)		1,200,000
HGC50C 22NSX---	50A (2a2b)		1,500,000
HGC65C 22NSX---	65A (2a2b)		1,800,000
HGC75C 22NSX---	75A (2a2b)		2,050,000
HGC85C 22NSX---	85A (2a2b)		2,400,000
HGC100C 22NSX---	100A (2a2b)		2,700,000

CAPACITOR SWITCHING UNIT (Cuộn xả đồng dòng/ngắt cho Contactor chuyên dùng cho tủ bù)			
HGCCU40 00NS	dùng cho HGC9 ~ 40	0NO.0NC	450,000
HGCCU65 00NS	dùng cho HGC50 ~ 65		450,000
HGCCU100 00NS	dùng cho HGC75 ~ 100		450,000


CONTROL RELAY			
HGR 04NS X---	4NC	AC 024/ 048/ 110/ 120/ 220/ 240/ 380/ 400 440/V	450,000
HGR 13NS X---	1NO.3NC		
HGR 22NS X---	2NO.2NC		
HGR 31NS X---	3NO.1NC		
HGR 40NS X---	4NO	DC 024/ 048/ 110/ 125/ 220V	540,000
HGR 04PS D---	4NC		
HGR 13PS D---	1NO.3NC		
HGR 22PS D---	2NO.2NC		
HGR 31PS D---	3NO.1NC		
HGR 40PS D---	4NO		

Phụ kiện Contactor			Đơn giá (VND)
TIẾP ĐIỂM PHỤ			
HGCTB--NS	2NO/ 1NO+1NC/ 2NC	Cài trên cho HGC9~100	98,000
	4NO/ 3NO+1NC/ 2NO+2NC/ 1NO+3NC/ 4NC		150,000
HGCSB40 11NS	1NO+1NC, dùng cho HGC9 ~ 40	Cài cạnh	95,000
HGCSB100 11NS	1NO+1NC, dùng cho HGC50 ~ 100		145,000
HGCSB800 11NS	1NO+1NC, dùng cho HGC115 ~ 800		190,000

KHÓA LIÊN ĐỘNG (không áp dụng cho HGC40~100 DC)			
HGCIU40	HGC9 ~ 40		178,000
HGCIU100	HGC50 ~ 100		178,000
HGCIU265	HGC115 ~ 265		250,000
HGCIU800	HGC300 ~ 800		1,080,000

CUỘN HÚT CONTACTOR (AC Magnetic Contactor)			
HGCOL18 X	HGC9 ~ 18	AC	115,000
HGCOL40 X	HGC25 ~ 40		125,000
HGCOL65 X	HGC50 ~ 65		140,000
HGCOL100 X	HGC75 ~ 100		198,000
HGCOL150 Y	HGC130 ~150		990,000
HGCOL150 F	HGC115 ~ 150	AC/ DC	1,035,000
HGCOL265 F	HGC185 ~ 265		1,550,000
HGCOL500 F	HGC300 ~ 500		2,620,000
HGCOL800 F	HGC630 ~ 800		3,520,000

CUỘN HÚT CONTACTOR (DC Magnetic Contactor)			
HGCOL18 D---	HGC9 ~ 18	DC 024/ 048/ 110/ 125/ 220V	240,000
HGCOL40 D---	HGC25 ~ 40		250,000
HGCOL65 D---	HGC50 ~ 65		260,000
HGCOL100 D---	HGC75 ~ 100		290,000

ĐỂ LẮP ĐẶT RELAY (DIN Rail Adapter for HGT)			
HGTMB18S	HGT18		150,000
HGTMB40S	HGT40		180,000
HGTMB65S	HGT65		200,000
HGTMB100S	HGT100		300,000

RƠ LE THỜI GIAN (Electronic Timer Block)			
HGCET1	HGC9~100, HGR	AC/DC90~240V	1,200,000
HGCET2		AC/DC24~60V	1,200,000

MÁY CẮT KHÔNG KHÍ (ACB)

Model HGS/HGN chưa bao gồm Motor, SHT, CC, UVT (đã có Rơ le bảo vệ GPR-LA)

Mã hàng	Đơn giá(VNĐ)	Icu (kA)	Mã hàng	Đơn giá(VNĐ)
HGS Type (Standard) 3P - Fixed Type			HGS Type (Standard) 4P - Fixed Type	
HGS06A3HM0C0S051T	32,000,000	65kA	HGS06A4HM0C0S051T	34,500,000
HGS08A3HM0C0S051H	34,000,000		HGS08A4HM0C0S051H	37,500,000
HGS10A3HM0C0S051J	35,000,000		HGS10A4HM0C0S051J	38,500,000
HGS12A3HM0C0S051K	36,000,000		HGS12A4HM0C0S051K	44,000,000
HGS16A3HM0C0S051L	37,500,000		HGS16A4HM0C0S051L	46,000,000
HGS20B3HM0C0S051M	51,000,000	85kA	HGS20B4HM0C0S051M	57,000,000
HGS25B3HM0C0S051N	66,000,000		HGS25B4HM0C0S051N	81,000,000
HGN Type (Premium) 3P - Fixed Type			HGN Type (Premium) 4P - Fixed Type	
HGN06A3HM0C0S051T	40,000,000	85kA	HGN06A4HM0C0S051T	41,500,000
HGN08A3HM0C0S051H	43,000,000		HGN08A4HM0C0S051H	44,500,000
HGN10A3HM0C0S051J	43,500,000		HGN10A4HM0C0S051J	45,000,000
HGN12A3HM0C0S051K	46,500,000		HGN12A4HM0C0S051K	52,500,000
HGN16A3HM0C0S051L	47,000,000		HGN16A4HM0C0S051L	55,500,000
HGN20A3VM0C0S051M	51,000,000		HGN20A4VM0C0S051M	64,000,000
HGN25B3HM0C0S051N	68,000,000	100kA	HGN25B4HM0C0S051N	85,000,000
HGN32B3HM0C0S051P	78,000,000		HGN32B4HM0C0S051P	95,000,000
HGN40B3HM0C0S051Q	105,000,000		HGN40B4HM0C0S051Q	128,000,000
HGN50C3HM0C0S051S	148,500,000		HGN50C4HM0C0S051S	185,000,000
HGN63D3HM0C0S051X	218,000,000	150kA	HGN63D4HM0C0S051X	283,000,000
HGS Type (Standard) 3P - Draw in/out Type			HGS Type (Standard) 4P - Draw in/out Type	
HGS06A3BM0C0S051T	46,500,000	65kA	HGS06A4BM0C0S051T	53,000,000
HGS08A3BM0C0S051H	49,500,000		HGS08A4BM0C0S051H	56,500,000
HGS10A3BM0C0S051J	50,500,000		HGS10A4BM0C0S051J	57,500,000
HGS12A3BM0C0S051K	53,000,000		HGS12A4BM0C0S051K	62,000,000
HGS16A3BM0C0S051L	56,000,000		HGS16A4BM0C0S051L	66,000,000
HGS20B3BM0C0S051M	72,000,000	85kA	HGS20B4BM0C0S051M	90,000,000
HGS25B3BM0C0S051N			HGS25B4BM0C0S051N	108,000,000
HGN Type (Premium) 3P - Draw in/out Type			HGN Type (Premium) 4P - Draw in/out Type	
HGN06A3BM0C0S051T	57,500,000	85kA	HGN06A4BM0C0S051T	63,500,000
HGN08A3BM0C0S051H	58,500,000		HGN08A4BM0C0S051H	68,000,000
HGN10A3BM0C0S051J	59,500,000		HGN10A4BM0C0S051J	69,000,000
HGN12A3BM0C0S051K	61,000,000		HGN12A4BM0C0S051K	74,000,000
HGN16A3BM0C0S051L	62,000,000		HGN16A4BM0C0S051L	79,000,000
HGN20A3CM0C0S051M	69,500,000		HGN20A4CM0C0S051M	81,000,000
HGN25B3BM0C0S051N	80,000,000	100kA	HGN25B4BM0C0S051N	120,000,000
HGN32B3BM0C0S051P	108,000,000		HGN32B4BM0C0S051P	135,000,000
HGN40B3BM0C0S051Q	150,000,000		HGN40B4BM0C0S051Q	185,000,000
HGN50C3BM0C0S051S	198,000,000		HGN50C4BM0C0S051S	210,000,000
HGN63D3BM0C0S051X	288,000,000	150kA	HGN63D4BM0C0S051X	360,000,000

Phụ kiện ACB	Mã hàng	Thông số	Đơn giá (VND)
Protection Trip Relay (OCR)	HGNSOCR-LA(51/61)	50/60Hz, GPR-LA	7,500,000
	HGNSOCR-LA(54/64)	50/60Hz, GPR-LP	(*)
	HGNSOCR-LA(55/65)	50/60Hz, GPR-LH	(*)
Motor	HGNS M(-)U	(-) 1 - AC/ DC110V 2 - AC/ DC220V 3 - AC380V 4 - AC400V 7 - DC24V 8 - DC48V 9 - DC125V	4,800,000
Closing coil	HGNS C(-)		1,100,000
Trip coil	HGNS S(-)		1,100,000
UVT Coil (Instantaneous type)	HGNS U(-)		1,400,000
UVT Time Delay Controller	HGNS UT(-)		2,400,000
UVT Time Delay Controller & UVT Coil	HGNS V(-)		3,800,000
Khóa liên động dùng cho ACB model HGN (Mechanical interlock)	HGNS FWB1A		for A frame, Fixed type, 2 ACB (3P,4P)
	HGNS FWB2A	for A frame, Fixed type, 3 ACB (3P,4P)	15,000,000
	HGNS FWB1B	for B frame, Fixed type, 2 ACB (3P,4P)	8,000,000
	HGNS FWB2B	for B frame, Fixed type, 3 ACB (3P,4P)	15,000,000
	HGNS FWB1C3	for C frame, Fixed type, 2 ACB (3P)	9,000,000
	HGNS FWB1C4	for C frame, Fixed type, 2 ACB (4P)	9,000,000
	HGNS FWB2C3	for C frame, Fixed type, 3 ACB (3P)	16,000,000
	HGNS FWB2C4	for C frame, Fixed type, 3 ACB (4P)	16,000,000
	HGNS FWB1D3	for D frame, Fixed type, 2 ACB (3P)	9,000,000
	HGNS FWB1D4	for D frame, Fixed type, 2 ACB (4P)	9,000,000
	HGNS FWB2D3	for D frame, Fixed type, 3 ACB (3P)	16,000,000
	HGNS FWB2D4	for D frame, Fixed type, 3 ACB (4P)	16,000,000
Tấm chắn pha (Phase insulation barrier)	HGNS 3PBAR	for 3P	200,000
	HGNS 4PBAR	for 4P	300,000
Biến dòng Curent Transformer (CT)	HGNS CTA(**)3	for A frame	3,000,000
	HGNS CTB(**)3	for B frame	3,500,000
	HGNS CTC(**)3	for C frame	6,300,000
Key lock	HGNS AB	key lock device	600,000
AUX switch	HGNS AA	additional 1a1b (Max.6a6b)	300,000
Door flange	HGNS AG	for IP30	400,000
Dust cover	HGNS DC	for IP52	12,500,000
Temperature Sensor	HGNS TSN	inside cradle	6,300,000
ATS Controller	HGNS ATS	Automatic Transfer Switch & Controller	37,500,000

Thanh cái (Termial Bus Bar) của ACB có thể thay đổi Dọc/ Ngang đối với các sản phẩm:

+ HGS/ HGN Frame A: 630~1600A

+ HGS/ HGN Frame B: 630~3200A

(*): Quý khách liên hệ NPP/ Đại lý Hyundai

(**): Biến dòng T-630A/ H-800A/ J-1000A/ K-1250A/ L-1600A/ M-2000A/ N-2500A/ P-3200A/ Q-4000A/ S-5000A/ X- 6300A

Thông số thiết bị				Mã hàng	Đơn giá (VNĐ)
Vacuum Circuit Breaker - HGV COMPACT Type					
HGV loại cố định					
7.2kV	8kA	400A	Control Voltage:DC110V, 4NO+4NC	HGV1099 AXA444A	(*)
	12.5kA	630A	Control Voltage:DC110V, 4NO+4NC	HGV1011 AXA444A	(*)
	25kA	630A	Control Voltage:DC110V, 4NO+4NC	HGV1141 BXA444A	(*)
		1250A	Control Voltage:DC110V, 4NO+4NC	HGV1142 BXA444A	(*)
HGV loại ngăn kéo E-cradle					
7.2kV	8kA	400A	Control Voltage:DC110V, 4NO+4NC	HGV1099 AES444A	(*)
	12.5kA	630A	Control Voltage:DC110V, 4NO+4NC	HGV1011 AES444A	(*)
	25kA	630A	Control Voltage:DC110V, 4NO+4NC	HGV1141 BES444A	(*)
		1250A	Control Voltage:DC110V, 4NO+4NC	HGV1142 BES444A	(*)
HGV loại ngăn kéo F-cradle					
7.2kV	8kA	400A	Control Voltage:DC110V, 4NO+4NC	HGV1099 AFS444A	(*)
	12.5kA	630A	Control Voltage:DC110V, 4NO+4NC	HGV1011 AFS444A	(*)
	25kA	630A	Control Voltage:DC110V, 4NO+4NC	HGV1141 BFS444A	(*)
		1250A	Control Voltage:DC110V, 4NO+4NC	HGV1142 BFS444A	(*)
HGV loại ngăn kéo G-cradle					
7.2kV	8kA	400A	Control Voltage:DC110V, 4NO+4NC	HGV1099 AGS444A	(*)
	12.5kA	630A	Control Voltage:DC110V, 4NO+4NC	HGV1011 AGS444A	(*)
	25kA	630A	Control Voltage:DC110V, 4NO+4NC	HGV1141 BGS444A	(*)
		1250A	Control Voltage:DC110V, 4NO+4NC	HGV1142 BGS444A	(*)
Vacuum Circuit Breaker - HGV STANDARD Type					
HGV loại cố định					
7.2kV	25kA	630A	Control Voltage:AC/DC110V, 4NO+4NC	HGV1141 CXA444C	(*)
		1250A	Control Voltage:AC/DC110V, 4NO+4NC	HGV1142 CXA444C	(*)
24/25.8kV	25kA	630A	Control Voltage:AC/DC110V, 4NO+4NC	HGV6141 FXA444C	(*)
		1250A	Control Voltage:AC/DC110V, 4NO+4NC	HGV6142 FXA444C	(*)
		2000A	Control Voltage:AC/DC110V, 4NO+4NC	HGV6144 FXA444C	(*)
HGV loại ngăn kéo E-cradle					
7.2kV	25kA	630A	Control Voltage:AC/DC110V, 4NO+4NC	HGV1141 CES444C	(*)
		1250A	Control Voltage:AC/DC110V, 4NO+4NC	HGV1142 CES444C	(*)
24/25.8kV	25kA	630A	Control Voltage:AC/DC110V, 4NO+4NC	HGV6141 FES444C	(*)
		1250A	Control Voltage:AC/DC110V, 4NO+4NC	HGV6142 FES444C	(*)
		2000A	Control Voltage:AC/DC110V, 4NO+4NC	HGV6144 FES444C	(*)
HGV loại ngăn kéo F-cradle					
7.2kV	25kA	630A	Control Voltage:AC/DC110V, 4NO+4NC	HGV1141 CFS444C	(*)
		1250A	Control Voltage:AC/DC110V, 4NO+4NC	HGV1142 CFS444C	(*)
24/25.8kV	25kA	630A	Control Voltage:AC/DC110V, 4NO+4NC	HGV6141 FFS444C	(*)
		1250A	Control Voltage:AC/DC110V, 4NO+4NC	HGV6142 FFS444C	(*)
		2000A	Control Voltage:AC/DC110V, 4NO+4NC	HGV6144 FFS444C	(*)
HGV loại ngăn kéo G-cradle					
7.2kV	25kA	630A	Control Voltage:AC/DC110V, 4NO+4NC	HGV1141 FGS444C	(*)
		1250A	Control Voltage:AC/DC110V, 4NO+4NC	HGV1142 FGS444C	(*)
24/25.8kV	25kA	630A	Control Voltage:AC/DC110V, 4NO+4NC	HGV6141 FGS444C	(*)
		1250A	Control Voltage:AC/DC110V, 4NO+4NC	HGV6142 FGS444C	(*)
		2000A	Control Voltage:AC/DC110V, 4NO+4NC	HGV6144 FGS444C	(*)

(*) Quý khách vui lòng liên hệ NPP/ Đại lý Hyundai.

Thông số thiết bị			Mã hàng	Đơn giá (VNĐ)	
Vacuum Circuit Breaker - HVF Type					
36kV	25kA	1250A	Control Voltage:DC110V, 4NO+4NC	HVF7142 IXA444C	(*)
		2000A	Control Voltage:DC110V, 4NO+4NC	HVF7144 IXA444C	(*)
	31.5kA	1250A	Control Voltage:DC110V, 4NO+4NC	HVF7052 IXA444C	(*)
		2000A	Control Voltage:DC110V, 4NO+4NC	HVF7054 IXA444C	(*)
		3150A	Control Voltage:DC110V, 4NO+4NC	HVF7057 IXA444C	(*)
36kV	25kA	1250A	Control Voltage:DC110V, 4NO+4NC	HVF7142 IGS444C	(*)
		2000A	Control Voltage:DC110V, 4NO+4NC	HVF7144 IGS444C	(*)
	31.5kA	1250A	Control Voltage:DC110V, 4NO+4NC	HVF7052 IGS444C	(*)
		2000A	Control Voltage:DC110V, 4NO+4NC	HVF7054 IGS444C	(*)
		3150A	Control Voltage:DC110V, 4NO+4NC	HVF7057 IGS444C	(*)

Vacuum Contactor 3.6/7.2kV, Continuously -type, Fixed type				
UVC3□CX1000000**	3.6kV, without fuse holder, 3NO+2NC			(*)
UVC6□CX1000000**	7.2kV, without fuse holder, 3NO+2NC			(*)
UVC3□CA1006000*CM	3.6kV, with 192mm single fuse holder not including fuse 3NO+2NC, with FMD			(*)
UVC6□CA1006000**CM	7.2kV, with 192mm single fuse holder not including fuse 3NO+2NC, with FMD			(*)
Vacuum Contactor 3.6/7.2kV, Continuously -type, Draw-out type				
UVC3□CB1F10000**	3.6kV, without fuse holder, 3NO+2NC With F Cradle (Insulation Shutter)			(*)
UVC6□CB1F10000**	7.2kV, without fuse holder, 3NO+2NC With F Cradle (Insulation Shutter)			(*)
UVC3□CD1F16000**CM	3.6kV, with 192mm single fuse holder not including fuse, 3NO+2NC, With F Cradle (Insulation Shutter), with FMD			(*)
UVC6□CD1F16000**CM	7.2kV, with 192mm single fuse holder not including fuse, 3NO+2NC, With F Cradle (Insulation Shutter), with FMD			(*)
Vacuum Contactor 3.6/7.2kV, Latched-type, Fixed type				
UVC3□LX1000000**	3.6kV, without fuse holder, 3NO+2NC			(*)
UVC6□LX1000000**	7.2kV, without fuse holder, 3NO+2NC			(*)
UVC3□LA1006000**CM	3.6kV, with 192mm single fuse holder not including fuse 3NO+2NC, with FMD			(*)
UVC6□LA1006000**CM	7.2kV, with 192mm single fuse holder not including fuse 3NO+2NC, with FMD			(*)
Vacuum Contactor 3.6/7.2kV, Latched -type, Draw-out type				
UVC3□LB1F10000**	3.6kV, without fuse holder, 3NO+2NC With F Cradle (Insulation Shutter)			(*)
UVC6□LB1F10000**	7.2kV, without fuse holder, 3NO+2NC With F Cradle (Insulation Shutter)			(*)
UVC3□LD1F16000**CM	3.6kV, with 192mm single fuse holder not including fuse, 3NO+2NC, With F Cradle (Insulation Shutter), with FMD			(*)
UVC6□LD1F16000**CM	7.2kV, with 192mm single fuse holder not including fuse, 3NO+2NC, With F Cradle (Insulation Shutter), with FMD			(*)

□: Chọn dòng định mức 2: 200A/ 4: 400A

(**): Chọn điện áp làm v H: AC/DC 200 ~ 230V / L: AC/DC 100 ~ 125V

(*): Quý khách vui lòng liên hệ NPP/ Đại lý Hyundai.